

 PALM IntranetApplication  
Number 

IDS Flag Clearance for Application 10715717

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2003-11-17	10	Y <input checked="" type="checkbox"/>	2004-03-10 13:52:29.0	sstevenson
<input type="button" value="Update"/>					

10/TIS,717

## INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	(((power (cord or cable)) with ((first wire) with (second wire) with (third wire))) and ((transparent or translucent) and socket) and ((light or (light source) or bulb or diod\$3)) and (((transparent or translucent) and (case or casing or envelop\$4))).clm.	US-PGPUB	2006/07/19 17:13

	Type	Hits	Search Text	DBs
1	IS&R	16	((("6461019") or ("6,344,716") or ("6,265,234") or ("6,160,948") or ("6,053,628") or ("5,639,157") or ("5,558,422") or ("5,495,147") or ("5,363,470") or ("5,313,187") or ("5,300,864") or ("5,226,709") or ("5,104,608") or ("4,780,798") or ("4,777,571") or ("4,675,575") or ("3,564,233"))).PN.	USPAT
2	BRS	10557	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2337	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	92121	(transparent or translucent) with (cover or casing or housing or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	171	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	18	S3 and S4 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	77	S3 and S4 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	144750	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	80	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	34	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	4	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	"5410460".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	"3873880".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	"5567045".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	IS&R	7	((("3873880") or ("5410460") or ("6846097") or ("4989120") or ("4682079") or ("5343375") or ("5567045"))).PN.	USPAT
16	BRS	16	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	BRS	7	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	USPAT
18	BRS	107643	(current or volt\$4 or power) (limit\$4 or regulat\$4)	USPAT
19	BRS	11	S18 and S5	USPAT
20	BRS	1	S18 and S17	USPAT
21	BRS	11	S19 or S20	USPAT
22	IS&R	0	("003and8").PN.	USPAT
23	BRS	321	S3 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	17	S23 and (first (wire or lead))and (second (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	17	S24 or S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	6	S23 and (first (wire or lead))and (second (wire or lead)) and (third (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	11	S25 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	144750	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	107643	(current or volt\$4 or power) (limit\$4 or regulat\$4)	USPAT
30	BRS	92121	(transparent or translucent) with (cover or casing or housing or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2337	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	10557	362/582,570,571,565-568,103- 108,122,123,227,235,237,238,249,251,252,276,333,33 1,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	321	S32 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	17	S34 and (first (wire or lead))and (second (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	6	S34 and (first (wire or lead))and (second (wire or lead)) and (third (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	7	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	USPAT
37	BRS	2	S28 and S29	USPAT
38	IS&R	1	("6601965").PN.	USPAT
39	IS&R	5	(("6601965") or ("5934784") or ("5567037") or ("6578981") or ("6296364")).PN.	USPAT

40	BRS	5	("4262324"   "4779172"   "5477433"   "6122933"   '6296364").PN.	US-PGPUB; USPAT; USOCR
----	-----	---	--	---------------------------

	Type	Hits	Search Text	DBs
41	BRS	2	("6601965").URPN.	USPAT
42	BRS	7	("3805047"   "4076976"   "4101955"   "4779172"   "4930052"   "5477433"   "6296364").PN.	US-PGPUB; USPAT; USOCR
43	BRS	1	("6578981").URPN.	USPAT
44	BRS	1	("6578981").URPN.	USPAT
45	BRS	9	("3755663"   "3805047"   "4076976"   "4096552"   "4101955"   "4779172"   "4930052"   "5201578"   "5477433").PN.	US-PGPUB; USPAT; USOCR
46	BRS	3	("6296364").URPN.	USPAT
47	BRS	62	("1184396"   "2020484"   "2149170"   "2546945"   "2572760"   "2670570"   "2724769"   "2798148"   "3211160"   "3441032"   "3450872"   "3501628"   "3549878"   "3564583"   "3675005"   "3751769"   "3758771"   "3766376"   "3866035"   "3984674"   "4002893"   "4009381"   "4173035"   "4296459"   "4597198"   "4604760"   "4611416"   "4719544"   "4748366"   "4779172"   "4812953"   "4848009"   "4903176"   "4912944"   "4930052"   "4998186"   "5036442"   "5054778"   "5081568"   "5128843"   "5186458"   "5188447"   "5209000"   "5236383"   "5649758"   "D182102"   "D335019").PN.	US-PGPUB; USPAT; USOCR
48	BRS	2	("5934784").URPN.	USPAT
49	BRS	14	("3609475"   "3812406"   "4047075"   "4774642"   "4942744"   "5018053"   "5066889"   "5113325"   "5140220"   "5160200"   "5253149"   "5278734"   "5296782"   "5440461").PN.	US-PGPUB; USPAT; USOCR
50	BRS	19	("5567037").URPN.	USPAT
51	BRS	52	"4682079"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	IS&R	9	((("4682079") or ("5410460") or ("5934784") or ("6296364") or ("6578981") or ("5567045") or ("3873880") or ("6610965") or ("5567037"))).PN.	USPAT
53	IS&R	9	((("4682079") or ("5410460") or ("5934784") or ("6296364") or ("6578981") or ("5567045") or ("3873880") or ("6601965") or ("5567037"))).PN.	USPAT
54	BRS	5	("1481719"   "3873880"   "4989120"   "5021935").PN.	US-PGPUB; USPAT; USOCR
55	BRS	3	("5410460").URPN.	USPAT
56	BRS	9	("2760120"   "3873880"   "3982173"   "4253045"   "4293799"   "4450382"   "4500795"   "4570108").PN.	US-PGPUB; USPAT; USOCR
57	BRS	36	("4682079").URPN.	USPAT
58	BRS	22	("3873880").URPN.	USPAT
59	BRS	5	("4262324"   "4779172"   "5477433"   "6122933"   "6296364").PN.	US-PGPUB; USPAT; USOCR
60	BRS	2	("6601965").URPN.	USPAT
61	BRS	7	("3805047"   "4076976"   "4101955"   "4779172"   "4930052"   "5477433"   "6296364").PN.	US-PGPUB; USPAT; USOCR
62	BRS	1	("6578981").URPN.	USPAT

63	BRS	9	("3755663"   "3805047"   "4076976"   "4096552"   "4101955"   "4779172"   "4930052"   "5201578"   "5477433").PN.	US-PGPUB; USPAT; USOCR
----	-----	---	---	---------------------------

	Type	Hits	Search Text	DBs
64	BRS	3	("6296364").URPN.	USPAT
65	BRS	62	( "1184396"   "2020484"   "2149170"   "2546945"   "2572760"   "2670570"   "2724769"   "2798148"   "3211160"   "3441032"   "3450872"   "3501628"   "3549878"   "3564583"   "3675005"   "3751769"   "3758771"   "3766376"   "3866035"   "3984674"   "4002893"   "4009381"   "4173035"   "4296459"   "4597198"   "4604760"   "4611416"   "4719544"   "4748366"   "4779172"   "4812953"   "4848009"   "4903176"   "4912944"   "4930052"   "4998186"   "5036442"   "5054778"   "5081568"   "5128843"   "5186458"   "5188447"   "5209000"   "5236383"   "5649758"   "D182102"   "D335019").PN.	US-PGPUB; USPAT; USOCR
66	BRS	2	("5934784").URPN.	USPAT
67	BRS	14	( "3609475"   "3812406"   "4047075"   "4774642"   "4942744"   "5018053"   "5066889"   "5113325"   "5140220"   "5160200"   "5253149"   "5278734"   "5296782"   "5440461").PN.	US-PGPUB; USPAT; USOCR
68	BRS	145366	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	1712	(transparent or translucent) with (cover or globe) with ((top with bottom) or halves)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	122	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	1	S68 and S69 and (power (cord or wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	(S68 and S69) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	6	(S68 and S69) and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	6470	((light emitting diod\$4) or (light or lamp)) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	8	S69 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	1996	light string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	302	(light string) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	(light string) and S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
79	BRS	8	(light string) and S68 and (socket with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	24	("1728938"   "2277532"   "2533222"   "3214579"   "3335389"   "3387255"   "3458849"   "3609643"   "3662381"   "4675575"   "4682079"   "4777573"   "4870547"   "4984999"   "5495147"   "5593324"   "5639246").PN.	US-PGPUB; USPAT; USOCR
81	BRS	615	40/554,564.ccls.	US-PGPUB; USPAT; USOCR
82	BRS	4	S81 and S74	US-PGPUB; USPAT; USOCR
83	BRS	24	("0960466"   "1636141"   "1832576"   "2248883"   "2474356"   "3500036"   "3692993"   "3731081"   "4774646"   "4995181"   "5031083"   "5067061"   "5161882"   "5404279"   "5410459"   "5416678"   "5442531"   "5645343").PN.	US-PGPUB; USPAT; USOCR
84	BRS	5	("5772312").URPN.	USPAT
85	BRS	284	S74 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	298	(light emitting diod\$4) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	40	S86 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	6470	(light or lamp) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	40	S87 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	284	S88 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	244	S88 and "315"/\$.ccls. not S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	6	("2367905"   "2605446"   "3458756").PN.	US-PGPUB; USPAT; USOCR
93	BRS	6	("4233543").URPN.	USPAT
94	BRS	9	("2717336"   "3283136"   "3384774"   "3500126"   "3631318").PN.	US-PGPUB; USPAT; USOCR
95	BRS	10581	362/582,570,571,565-568,103- 108,122,123,227,235,237,238,249,251,252,276,333,33 1,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1298	S95 and ((cover or housing or globe or (socket cover)) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
97	BRS	29	(socket cover) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	29	(socket (cover or globe)) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	345	(socket with (cover or globe)) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	28	S99 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	494218	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	460	((light emit\$6 diod\$4) or "LED") string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	179	((light emit\$6 diod\$4) or "LED") string and (cover or casing or shell or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	281	S102 not S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	494521	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	14844	((light emit\$6 diod\$4) or "LED") and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	82	((light emit\$6 diod\$4) or "LED") and string and (power regulator) and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	2	((light emit\$6 diod\$4) or "LED") and string and (power regulator) and "AC" and ((envelop\$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	13425	((light emit\$6 diod\$4) or "LED") and ((envelop\$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	88	((light emit\$6 diod\$4) or "LED") and (socket with(envelop\$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	170	S108 or S109 or S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	118	((light emit\$6 diod\$4) or "LED") and string and (power regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	461	((light emit\$6 diod\$4) or "LED") string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
114	BRS	2	S113 and (power regulator) and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	128	S113 and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	91	S113 and ("AC" with power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	10	("20030185020"   "4970812"   "5027112"   "5268828"   "5722760"   "5767822"   "5900850"   "6677918"   "6698121"   "6729054").PN.	US-PGPUB; USPAT; USOCR
118	BRS	0	("6851209").URPN.	USPAT
119	BRS	1	S113 and (power regulator) and ("AC" power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	0	("2003/0234621").URPN.	USPAT
121	BRS	0	("2003/0234621").URPN.	USPAT
122	BRS	14	("4136379"   "4748545"   "4941072"   "5103382"   "5367441"   "5503637"   "5607227"   "5655830"   "5688041"   "5753996"   "5845037"   "5860730"   "5890794"   "6158882").PN.	US-PGPUB; USPAT; USOCR
123	BRS	20	("6283612").URPN.	USPAT
124	BRS	4	("4271458"   "4984142"   "6135612"   "6283612").PN.	US-PGPUB; USPAT; USOCR
125	BRS	0	("6536915").URPN.	USPAT
126	BRS	20	("6283612").URPN.	USPAT
127	BRS	109	S113 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	6	("6158882"   "6283612"   "6354714"   "6394623"   "6478449"   "6565251").PN.	US-PGPUB; USPAT; USOCR
129	BRS	2	("6682205").URPN.	USPAT
130	BRS	1	("5709457").PN.	US-PGPUB; USPAT; USOCR
131	BRS	4	("5887967").URPN.	USPAT
132	BRS	75	S113 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	1707	((light emit\$6 diod\$4) or "LED") and string and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	3	((light emit\$6 diod\$4) or "LED") and (socket cover) and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	8	("3692993"   "4089042"   "5099621"   "5311414"   "5343375"   "5404279"   "5559681"   "5815068").PN.	US-PGPUB; USPAT; USOCR
136	BRS	8	("3692993"   "4089042"   "5099621"   "5311414"   "5343375"   "5404279"   "5559681"   "5815068").PN.	US-PGPUB; USPAT; USOCR
137	BRS	7	("6183104").URPN.	USPAT

	Type	Hits	Search Text	DBs
138	BRS	95	((light emit\$6 diod\$4) or "LED") and (socket cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
139	BRS	4	((light emit\$6 diod\$4) or "LED") bulb socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
140	BRS	0	((light emit\$6 diod\$4) or "LED") bulb with socket with cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
141	BRS	43	((light emit\$6 diod\$4) or "LED") bulb with socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	IS&R	2	((("6227679") or ("6371636")).PN.	USPAT
143	BRS	10	("5561346"   "5726535"   "5774098"   "5803579"   "5806965"   "5848837"   "5850126"   "5865529"   "5931570"   "5947588").PN.	US-PGPUB; USPAT; USOCR
144	BRS	18	("6227679").URPN.	USPAT
145	IS&R	1	("4675575").PN.	USPAT
146	BRS	216	362/800.ccls. and 362/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	2	("3540687").PN.	US-PGPUB; USPAT; USOCR
148	BRS	25	("4471415").URPN.	USPAT
149	BRS	4103	((first (wire or lead))and (second (wire or lead)) and ((third (wire or lead)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	2356	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	21	S149 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	4736	((first (wire or lead))and (second (wire or lead)) and ((third or common) (wire or lead)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	821	((first (wire or lead))and (second (wire or lead)) and ((third or common) with (wire or lead) with control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	3	S153 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	5	("3968355"   "4717350"   "5371441"   "6132257"   "6190207").PN.	US-PGPUB; USPAT; USOCR
156	BRS	0	("6869313").URPN.	USPAT
157	BRS	0	"gibboney-james-w-\$in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	0	"gibboney-james-w-\$in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
159	BRS	0	gibboney-james-"Jr.""in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	14	Gibboney-james-\$in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	IS&R	16	((("6,461019") or ("6,344,716") or ("6,265,234") or ("6,160,948") or ("6,053,628") or ("5,639,157") or ("5,558,422") or ("5,495,147") or ("5,363,470") or ("5,313,187") or ("5,300,864") or ("5,226,709") or ("5,104,608") or ("4,780,798") or ("4,777,571") or ("4,675,575") or ("3,564,233")).PN.	USPAT
162	IS&R	0	("interrupt\$4withcurrentwithlongerwithdurationwithvoltagewithhigher").PN.	USPAT
163	BRS	2	interrupt\$4 with current with longer with duration with voltage with higher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
164	BRS	1	interrupt\$4 with current with shorter with duration with voltage with lower	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	1	S163 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
166	BRS	2	((interrupt\$4 with current) with longer with duration) same (voltage with higher)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	1	S166 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	IS&R	1	("5495147").PN.	USPAT
169	BRS	3	("4675575"   "5300864"   "5313187").PN.	US-PGPUB; USPAT; USOCR
170	BRS	0	S165 and S162 and "4675575".pn.	US-PGPUB; USPAT; USOCR
171	BRS	5	((interrupt\$4 with current) with shorter with duration) same (voltage with lower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	673	"63"/\$.ccls. and (illumina\$5 or light\$5 or diod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	60	"63"/\$.ccls. and (illumina\$5 or light\$5 or diod\$3) and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	BRS	27	362/571.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
175	BRS	188	362/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	3626	(light or lamp or diode) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
177	BRS	18	S176 and (First wire) and (second wire) and ((third or interconnecting) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
178	BRS	685	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls. and S176	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
179	BRS	8	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls. and S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
180	BRS	270	"315"/\$.ccls. and S176	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
181	BRS	8	S180 and ((third or interconnecting) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
182	IS&R	2	((("6299332") or ("5410460"))).PN.	USPAT
183	IS&R	2	((("6299332") or ("5410460") or ("5410460"))).PN.	USPAT
184	IS&R	2	((("6299332") or ("5410460"))).PN.	USPAT
185	BRS	2707	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
186	BRS	174638	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
187	BRS	2720	(light or lamp or S186) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
188	BRS	4	S187 and ((transparent or translucent) socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
189	BRS	23	("4471415"   "4667277"   "4709307").PN. OR ("4999755").URPN.	US-PGPUB; USPAT; USOCR
190	BRS	10766	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
191	BRS	176898	S186 or S187	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
192	BRS	14	S191 and ((transparent or translucent) socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
193	BRS	161	362/246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
194	BRS	602	362/250.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
195	BRS	1	S194 and ((transparent or translucent) socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
196	BRS	598	S194 not S193	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
197	BRS	0	(((power (cord or cable)) with ((first wire) with (second wire) with (third wire))) and ((transparent or translucent ) and socket) and ((light or (light source) or bulb or diod\$3)) and ((transparent or translucent) and (case or casing or envelop\$4))).clm.	US-PGPUB